

REFERENCES

The following list constitutes references of papers wherein empirical orthogonal functions have been applied, or which are useful for computing empirical orthogonal functions.

- Alishouse, J.C. 1967 A discussion of empirical orthogonal functions and their application to vertical temperature profiles. Tellus, 19, 477 - 481.
- Andersson, T. 1970 Climatological studies of temperature, precipitation and fog - particularly in Sweden. Doctoral Thesis, Upsala.
- Bagrov, N.A. 1959 The analytical representation of the sequence of meteorological fields by means of natural orthogonal components (In Russian). Moscow, Tsentr. Inst. Prog. Trudy 74, 3 - 24 .
- Bagrov, N.A. 1976 Orthogonalisation of random variables. Meteorologiya i Gidrologiya, No. 4, 3 - 11.
- Barnett, T.P. and Davis, R.D. 1975 Eigenvector analysis and prediction on sea surface temperature fluctuations in the Northern Pacific Ocean, Proceed. of WMO/JAMAP Symposium on long-term climate fluctuations. WMO No. 421, 439 - 450.
- Bear, F. 1974 Vertical structure of hemispheric temperature spectral components. GARP Rep. No. 7, 152 - 188.
- Bodin, S. 1974 A quasi-geostrophic 3-parameter numerical prediction model in empirical orthogonal functions. Tellus 26, 582 - 593.

References:

- Boldirev, V.B. 1971 Variability of eigenvector and eigenvalues of the correlation matrices of vertical temperature profiles. The interpretation and use of satellite data in the analysis and forecasting of weather. USSR. 112 - 117.
- Bradley, J. and Win-Nielsen, A. 1968 On the transient part of the atmospheric planetary waves. Tellus 20, 3, 533 - 544.
- Buell, C.E. 1971 Integral Equation Representation for Factor Analysis. J.Atm.Sci., 28, 1502-1505.
- Buell, C.E. 1975 The topography of the empirical orthogonal functions. 4th Conference on Probability and Statistics in Atmospheric Sciences, Nov. 18-21, 1975. Tallahassee, AMS. pp.188-193.
- Busch, N.E. and Petersen E.L. 1971 Analysis of non-stationary ensembles. Statistical Methods and Instrumentation in Geophysics. Proceedings of the NATO Advanced Study Institute in Norway, April 1971, Oslo. pp. 71-92.
- Cheng, Ching-lin and Tu, Hsing-yuan 1973 A new numerical weather prediction model, utilising multiple-instant observation data. Scientia Sinica, XVI, 396-406.
- Christensen, W.I. and Bryson, R.A. 1966 An investigation of the potential of component analysis for weather classification. Monthly Weather Review, 94, 697-709.

References :

- Clarke, J.F. and Peterson, J.T. 1973 An empirical model using eigenvectors to calculate the temporal and spatial variations of the St.Louis heat island. *J.Appl.Meteor.* 12, 195-210.
- Colgate, M.G. 1975 An attempt to predict the anomalies in the monthly mean sea level pressure field a month ahead. *Quart.J. Met. Soc.* 101, 267-280.
- Craddock, J.F. 1965 A meteorological application of principal components analysis. *The Statistician* 15, 143-156.
- Craddock, J.F. and Flood, C.R. 1969 Eigenvectors for representing the 500 mb geopotential surface over the Northern Hemisphere. *Quart.J.R. Met.Soc.* 95, 576-593.
- Craddock, J.F. and Flintoff, S. 1970 Eigenvector representation of Northern Hemispheric Fields. *Quart.J.R.Met.Soc.* 96, 124-129.
- Craddock, J.F. 1973 Problems and prospects for eigenvector analysis in meteorology. *The Statistician*, 22 (2), 133-145.
- Davis, R.E. 1976 Predictability of Sea Surface Temperature and Sea Level Pressure Anomalies over the North Pacific Ocean. *J.Phys. Oceanogr.* 6, 249-266.
- DeLand, R. 1968 On the vertical structure of travelling planetary-scale waves. *Proc. of the Stanstead Sem. Canada*, 5, 47-54.

References :

- Dyer, T.D. 1975 The assignment of rainfall stations into homogenous groups : an application of principal components. Quart. J.R. Met. Soc. 101, 1005-1013.
- Eidsvik, K.J. 1971 Representation of a non-stationary process by empirical orthogonal functions. Statistical methods and instrumentation in Geophysics. Proceedings of the NATO Advanced Study Institute in Norway, April 1971. Oslo. pp. 93-107.
- Erdmann, H. 1974 Die Entwicklung vertikaler natürlicher Orthogonal-funktionen aus einer Serie von Radiosondendaten der Stationen Erlangen/Stuttgart, unter Berücksichtigung des Jahrganges, und die meteorologische Interpretation der wichtigsten Funktionen. Dipl.-Arb., Math.-Nat. Fak., Universität Kiel.
- Erdmann, H. and Fechner, H. 1974 Die vertikalen natürlichen Orthonalfunktionen einer 19-jährigen Reihe von halbtägigen Radiosondendaten der Station Erlangen/Stuttgart. Meteorol. Rundschau 28, 110 - 121.
- Essenwanger, O.L. Horn, L.H. and Bryson, R.A. 1958 Half-Hemispheric 500 mb Topography Description by means of Orthogonal Polynomials. Pt.2, Specification Wisconsin University. Dept. of Meteorology. Contract AF (604)-992, Scientific Report No. 11, 16 pp.

References :

- Essenwanger, O.M. 1975 Eigenvector representation of wind profiles.  
4th Conference on Probability and Statistics in Atmospheric Sciences, Nov. 18-21, 1975, Tallahassee, AMS. pp. 206-210.
- Farmer, S. 1971 An investigation into the results of Principal Component Analysis of Data derived from Random Numbers. *The Statistician*, 20, 63-72.
- Fechner, H. 1974 Empirical Orthogonal Functions in the Horizontal Plane based on Spherical Harmonics. GARP Report No. 7, 310 - 323.
- Fechner, H. 1975 Darstellung des Geopotentials der 500 mb Fläche der winterlichen Nordhalbkugel durch natürliche Orthogonalfunktionen. Ber. IfM, Kiel, Nr. 5.
- Fechner, H. 1978 Darstellung meteorologischer Felder mit endlichem Definitionsgebiet durch Reihen orthogonaler Funktionen. Ber. IfM-Kiel, Nr. 44, 1 - 112.
- Fechner, H. 1978 Klimatologie des Geopotentials der 500 mb-Fläche der Nordhalbkugel unter Verwendung von natürlichen Orthogonalfunktionen im Wellenzahlbereich. (in preparation).

References :

- Fukuoka, 1951 A study on 10-day Forecast  
(a synthetic report)  
Geophysical Magazine 22,  
No. 3, 117 - 208.
- Gilman, D.H. 1957 Empirical orthogonal  
functions applied to 30-day  
forecasting.  
Sci. Report No. 1, Contract  
No. AF19(604) - 1283,  
Dept. of Meteorology,  
Massachusetts Institute of  
Technology, Cambridge, Mass.
- Greenstadt, J. 1967 Bestimmung der Eigenwerte  
einer Matrix nach der  
Jacobi-Methode. In Ralston,  
A. und H.S. Wilf (Eds.),  
Mathematische Methoden für  
Digitalrechner. 152 - 168.  
München-Wien.
- Grimmer, M. 1963 The space-filtering of  
monthly surface anomaly data  
in terms of pattern, using  
empirical orthogonal  
functions.  
Quart. J. R. Met. Soc. 89,  
395 - 409.
- Gruza, G.V. 1965 On the Statistical  
Characteristics of the  
general Circulation of the  
Atmosphere.  
Dynamics of the large-scale  
atmospheric processes.
- Hardy, D.M. 1977 Empirical eigenvector  
analysis of vector obser-  
vation.  
Geophysical Research Letters,  
4, 319 - 320.
- Hess, S.L. 1971 Orthogonal Functions in  
numerical weather  
prediction : Some Research  
in Denmark and Finland.  
ONR London Report 2-46-71  
Office of Naval Research,  
London

References:

- Holmström, I. 1963 On a method for parametric representation on the state of the atmosphere.  
Tellus 15, 127 - 149.
- Holmström, I. 1964 On the vertical structure of the atmosphere.  
Tellus 16, 288 - 308.
- Holmström, I. 1970 Analysis of time series by means of empirical orthogonal functions.  
Tellus 6, 638 - 647.
- Holmström, I. 1971 Parameterization du vent à l'aide de fonctions orthogonales empiriques en vue de la construction d'un modèle à équations primitives.  
Cahiers la Météorologie 3, 5 - 37.
- Holmström, I. 1975 30-day forecasting.  
The 4th conference on probability and statistics in atmospheric sciences.  
Nov. 18-21, 1975,  
Tallahassee, AMS. pp.31-36.
- Holmström, I. 1976 Optimization of Atmospheric models.  
Swedish Meteorological and Hydrological Institute Rapporter.  
Meteorologi och Klimatologie.  
Nr. RMK 4.
- Holmström, I. 1977 Optimization of atmospheric models.  
Tellus, 29, 415 - 427.
- Häuser, W. 1967 Series Expansion of Northern Hemisphere 500 mb Height Fields giving a Maximum of Information.  
Report (undated).  
Meteorological Service of the GDR Institut für Grosswetterforschung.

References :

- Jakovleva, N.I. 1968 The refinement of natural orthogonal functions for the pressure (geopotential) field over the Northern Hemisphere.  
Glav.Geof. Obs. Trudy 201, 60 - 71 (In Russian).
- Jaspersen, W. 1971 Representation of meteorological variables by empirical orthogonal functions. Statistical Methods and Instrumentation in Geophysics. Proceedings of the NATO Advanced Study Institute in Norway, April 1971, Oslo. pp. 109-119.
- Jeckström, W. 1977 Meteorologische Interpretation der wichtigsten Koeffizienten der natürlichen Orthogonalfunktionen der winterlichen 500 mb Fläche der Nordhalbkugel an der Hand von synoptischen Grosswetterlagen.  
Ber. IfM, Kiel No. 36.
- Joelsson, R. 1970 Applicering av empiriska orthogonala funktioner på en synoptisk Vädersituation. Sveriges Meteorologiska och Hydrologiska Institut. Serie Meteorologi, Notiser och preliminära rapporter Stockholm No. 23.
- Kaiser, H.F. 1960 The application of electronic computers to factor analysis. Educational and Psychological Measurement, 20, 141 - 151.
- Kaminski, U. 1977 Klassifikation der Wetterlagen über dem Ozeanwetterschiff C durch vertikale natürliche Orthogonalfunktionen.  
Ber. IfM, Kiel, No. 35.

References:

- Kelly, E.A. 1958 Extended Range Forecasting by a Statistical Procedure. M.I.T., Department of Meteorology. Contract AF (604)-1566. Report No. 5 55 pp.
- Kidson, J.W. 1975 Eigenvector Analysis of Monthly Mean Surface Data. Monthly Weather Rev. 103, 177-186.
- Kidson, J.W. 1975 Tropical Eigenvector Analysis and Southern Oscillation. Monthly Weather Rev. 103, 187 - 196.
- Koprova, L.I. and Malkewich, M.S. 1965 On the empirical orthogonal functions for the optimal parameterization of the temperature and humidity profiles. Izvestiya (engl. edn)., Vol. I. pp. 15 - 18.
- Kutzbach, J.E. 1967 Empirical Eigenvectors of Sea-Level Pressure, Surface Temperature and Precipitation Complexes over North America. J.Appl. Meteo. 6, 791 - 802.
- Kutzbach, J.E. 1970 The large scale features in Northern Hemisphere Monthly Mean Surface Pressure Anomalies. Monthly Weather Review, 98, 708 - 716.
- Lorenz, E.N. 1956 Empirical Orthogonal Functions and Statistical Weather Prediction, Sci. Rept. No. 1, Statistical Forecasting Project. Dept. of Met., M.I.T., Cambridge, Mass.
- Lorenz, E.N. 1959 Prospects of Statistical Weather Forecasting. M.I.T.,Dept. of Meteorology, Contract AF(604)-1566. Final Report , 185 pp.

References:

- McFarlane, N.R. 1971 On the numerical evaluation of the structure of the various vertical modes in transient planetary waves. Technical Report 002630-5-T, Dept. Atmosph. and Ocean. Sci., Univ. of Mich. 1-33.
- Meshtsherskaya, A.V. Rukhovets, L.V. Yudin, M.I. and Yakoleva, N.I. 1970 Estestvennije sostavlyayashie meteorologitsheskij polej, Leningrad (in Russian), pp. 200.
- Mount, W.D. 1960 On predictability at 500 mb as a function of density and type of information. Proceedings of the International Symposium on Numerical Weather Prediction in Tokyo, Nov. 7-13, 1960, 297-305.
- Moura, A.D. 1976 The eigensolutions of the linearised balance equations over a sphere. J. of Atm. Sci. 33, 877-907.
- Müller, E. 1968 Einige aeroklimatologische Bemerkungen. Meteorologische Rundschau, 21, 6-15.
- Müller, F.B. and Clodman, J. 1968 The application of empirical orthogonal functions to the analysis of meso-scale variations of precipitation in storms. Proceedings of the First Statistical Meteorological Conference. Hartford Connecticut, May 27-29, 1968. AMS.
- Nordø, J. 1966 The vertical structure of the atmosphere. Geophysica Norvegica, 5.
- Obukhov, A.M. 1960 On statistically orthogonal expansions in empirical functions. Izvest. Geophys. Ser. 1960. Engl. Transl. 288-291.

References:

- Palmieri, S. 1968 A study of the space relationship of meteorological fields over Northern Italy by means of principal component analysis. *Riv. Meteor. Aeron.*, 28, 5-19.
- Perry, A.H. 1970 Filtering climatic anomaly fields using principal component analysis. *Trans. Inst. Brit. Geogr.*, 50, 55-72.
- Peterson, J.T. 1970 Distribution of sulfur dioxide over metropolitan St. Louis, as described by empirical eigenvectors, and its relation to meteorological parameters. *Atmospheric Environment*, 4, 501-518.
- Pittock, A.B. 1975 Climatic change and the patterns of variation in Australian rainfall. *Search*, 6, 498-504.
- Resio, D.T. and Hayden, B.P. 1975 Recent secular variations in Mid-Atlantic Winter extratropical storm climate. *J. Appl. Meteorol.* 14, 1223-1234.
- Rinne, J.H. 1971 Investigation of the forecasting error of a simple barotropic model with the aid of empirical orthogonal functions. Part I and Part II, *Geophysica*, 11, 185-240.
- Rinne, J.H. 1971 Investigation of the forecasting error of a simple barotropic model with the aid of empirical orthogonal functions. Part III. *Geophysica*, 12, 57-80.

References:

- Rinne, J.H. 1973 Horizontal empirical orthogonal functions as an aid in the representation of atmospheric pattern and waves. Third Conference on Probability and Statistics in Atmospheric Science. American Met. Soc., Boulder, Colorado. 181-186.
- Rinne, J.H. and Karhila, V.E. 1974 Stochastic Forecasts computed with an EOF model. GARP Report No. 7, 333-340.
- Rinne, J.H. and Karhila, V.E. 1975 A spectral barotropic model in empirical orthogonal functions. Quart. J. R. Met. Soc. 101, 365-382.
- Rukhovets, L.V. 1963 The optimum representation of the vertical distribution of certain meteorological elements. Izv. Aca. Sci., U.S.S.R. Geoph. Ser. 4, 626-636 (English translation).
- Rukhovets, L.V. 1976 The stability of empirical orthogonal functions. Meteorologiya i Gidrologiya, 2, 103-106.
- Shorr, B. 1957 Empirical Orthogonal Functions applied to prediction of the sea-level pressure field. M.I.T., Dept. of Meteorology, Scientific Report No. 3.
- Smith, W.L. and Woolf, H.M. The use of eigenvectors of statistical covariance matrices for interpreting satellite sounding radiometer observations. Manuscript from: National Environmental Satellite Service, NOAA, Washington, D.C.

References:

- Sperner, E. 1957 Die Eigenwerte einer reellen symmetrischen Matrix, Hauptachsentransformation. Einführung in die analytische Geometrie und Algebra. 2. Göttingen, 133-150.
- Stewart, G.W. 1974 The numerical treatment of large eigenvalue problems. Dept. of Computer Science and Mathematics, Carnegie Mellon University.
- Stidd, C.E. 1967 The use of eigenvectors for climatic estimates. J.Appl. Meteorol. 6, 255-264.
- Veitch, L.G. 1965 The description of Australian pressure fields by principal components. Quart.J.R.Met.Soc. 91, 184-195.
- Veitch, L.G. 1970 Forecasting Adelaide's maximum temperature using principal components and multiple linear regression. Australian Meteorological Magazine, 18, 1-21.
- Vogler, P. 1973 Über die Verwendung natürlicher orthogonaler Funktionen zur Auswahl analoger Feldverteilungen. Abhandlungen des Met.Dienstes der DDR. 147-158.
- Wadsworth, G.P. 1955 Mathematical analysis of some Atmospheric Dynamics and statistical prediction of surface pressure by linear and quadratic functions of pressure sequences at grid points. M.I.T., Contract AF(604)-991. Scientific Report No. 1
- Wahl, E.W. 1977 Preliminary results of a statistical long-range forecasting attempt. Month.Wea.Rev.105, 529-535.

References:

- Weare, B.C.  
Navaton, A.R. and  
Newell, R.E. 1975 Empirical orthogonal  
analysis of Pacific sea  
surface temperature.  
Proceed. of WMO/IAMAP Symp.  
on Long-Term Climatic  
Fluctuations.  
WMO No. 421, 167-182.
- Weare, B.C. 1977 Empirical orthogonal  
analysis of Atlantic Ocean  
Surface Temperatures.  
Quart. J. R. Met. Soc.  
103, 467 - 478.
- White, E.J. 1972 Orthogonalised regressions  
of height increments on  
meteorological variables.  
Research Papers in Forest.  
109 - 125.
- White, R.M., Derby, R.C., Cooley, D.S.  
and Seaver F.A. 1957 Hemispherical forecasting  
by statistical techniques.  
J. Meteor. 14, 448 - 457.
- White, R.M., Derby, R.C., Cooley, D.S.  
and Seaver, F.A. 1958 The development of  
efficient linear statistical  
operators for the prediction  
of sea-level pressure.  
J. Meteor. 15, 426 - 434.
- Wiin-Nielsen, A. 1971 On the motion of various  
vertical modes of  
transient very long waves.  
Tellus, 23, Part I 203-217  
and Part II, 87 - 98.
- Willett, H.C. 1957 Statistical Application of  
Atmospheric Circulation and  
Solar Indices to Extent and  
Long-Range Forecasting.  
M.I.T., Department of  
Meteorology. Contract AF  
(604)-1283. Final Report  
27 pp.
- Wright, P.B. 1971 Spatial and temporal  
variations in seasonal rainfall  
in south-western  
Australia.  
Misc. pub., 71/1, Institute  
of Agriculture, Univ. Western  
Australia, pp. 1 - 69.

References:

- Yudin, M.I. 1965 Dynamics of the large scale atmospheric processes. (In Russian).
- Yudin, M.I. 1966 Application of natural orthogonal functions to atmospheric dynamics and thermal regime studies. Rotaprint, GGO, Leningrad, pp. 22.