

Outline

- What is CRESTA?
- IFS future resolutions
- PGAS (Fortran 2008)
- GPGPUs
- Co-models
- DAGs



Parallelisation and Exascale Computing Challenges

George.Mozdzyński@ecmwf.int

Acknowledgements

Mats Hamrud	ECMWF
Nils Wedi	ECMWF
Willem Deconinck	ECMWF
Jens Doleschal	Technische Universität Dresden
Harvey Richardson	Cray UK


And my other partners in the CRESTA Project

The CRESTA project has received funding from the EU Seventh Framework Programme (ICT-2011.9.13)



What is CRESTA - see <http://cresta-project.eu/>


- Collaborative Research into Exascale Systemware, Tools and Applications
- EU funded project, 3 years (started Oct 2011), ~ 50 scientists
- Six co-design vehicles (aka applications)
 - ELMFIRE (CSC, ABO, UEDIN) - fusion plasma
 - GROMACS (KTH) - molecular dynamics
 - HEMELB (UCL) - biomedical
 - IFS (ECMWF) - weather
 - NEK5000 (KTH) & OPENFOAM (USTUTT, UEDIN) - comp. fluid dynamics
- Two tool suppliers
 - ALLINEA (ddt : debugger) & TUD (vampir : performance analysis)
- Technology and system supplier – CRAY UK
- Many Others (mostly universities)
 - ABO, CRSA, CSC, DLR, JYU, KTH, UCL, UEDIN-EPCC, USTUTT-HRLS




Some of the “issues” at the Exascale

- Power
 - An Exascale computer today would require about a gigawatt (\$1B per year)
 - 20 megawatt seen as a limit for governments with deep pockets
 - We expect engineers will solve this problem
- Processors are not getting faster
 - They are getting slower
 - But this is more than compensated by their number (e.g. GPGPUs)
- Reliability
 - Uptime for single system ~ 1 day
 - Implies redundancy of nodes, network, filesystem, no single point of failure
- Scalability of applications
 - Incremental / disruptive solutions / new algorithms / I/O
 - Ensemble methods?

Computing at ECMWF



Sustained Exaflop in 2033 ?



IFS model: current and future model resolutions

IFS model resolution	Envisaged Operational Implementation	Grid point spacing (km)	Time-step (seconds)	Estimated number of cores ¹
T1279 H²	2013 (L137)	16	600	2K
T2047 H	2014-2015	10	450	6K
T3999 NH³	2023-2024	5	240	80K
T7999 NH	2031-2032	2.5	30-120	1-4M

1 – a gross estimate for the number of ‘IBM Power7’ equivalent cores needed to achieve a 10 day model forecast in under 1 hour (~240 FD/D), system size would normally be ~10 times this number.

2 – Hydrostatic Dynamics



3 – Non-Hydrostatic Dynamics

An example of why running a single model at the Exascale will be “challenging”

- Assume the following,
 - model time step of 30 seconds
 - 10 day forecast
 - model on 4M cores
 - max 1 hour wall clock
- 1 step needs to run in under **0.125 seconds**
- Using 32 OpenMP threads per task, we will have 128K MPI tasks
- Say we do a simple MPI_SEND from 1 task (e.g. master) to all other 128K tasks
- This will take an estimated $128K \times 1 \text{ microsec} =$ **0.128 seconds**
- Of course we need to use more efficient MPI collectives
- Implies global communications cannot be used, or
- Each task needs to run with 100's or 1000's of threads or GPU cores => max $O(10K)$ MPI tasks, and
- Use of 2D or 3D parallelization


IFS grid point space: “EQ_REGIONS” partitioning for 1024 MPI tasks

Each MPI task has an equal number of grid points




IFS PGAS Optimisations for ExaScale & Co-design

- IFS PGAS optimisations in the CRESTA project
 - Involve use of Fortran2008 coarrays (CAF)
 - Used within context of OpenMP parallel regions
- Overlap Legendre transforms with associated transpositions
- Overlap Fourier transforms with associated transpositions
- Rework semi-Lagrangian communications
 - To substantially reduce communicated halo data
 - To overlap halo communications with SL interpolations
- CAF co-design team
 - caf-co-design@cresta-project.eu
 - ECMWF – optimise IFS as described above
 - CRAY – optimize DMAPP to be thread safe
 - TUD – visualize CAF operations in IFS with vampir
 - ALLINEA – debug IFS at scale with ddt (MPI/OMP/CAF)




george.mozdzynski@ecmwf.int
mats.hamrud@ecmwf.int
willem.deconinck@ecmwf.int
harveyr@cray.com
michs@kth.se
tobias.hilbrich@tu-dresden.de
kostas@ihs.uni-stuttgart.de
m.bull@epcc.ed.ac.uk
jens.doleschal@tu-dresden.de
xaguilar@pdc.kth.se
david@allinea.com
jeremy@epcc.ed.ac.uk


IFS PGAS optimisations for [Tera,Peta,Exa]scale



Overlap Legendre transforms with associated transpositions




Overlap Legendre transforms with associated transpositions/3 (LTINV + coarray puts)




Expectation is that compute (LTINV-blue) and communication (coarray puts-yellow) overlap in time. We can now see this with an extension to `vampir` developed in CRESTA

Semi-Lagrangian Transport

- Computation of a trajectory from each grid-point backwards in time, and
- Interpolation of various quantities at the departure and at the mid-point of the trajectory




Semi-Lagrangian Transport: T799 model, 256 tasks



Task 11 encountered the highest wind speed of 120 m/s (268 mph) during a 10 day forecast starting 15 Oct 2004

blue: halo area



Halo width assumes a maximum wind speed of $400 \text{ m/s} \times 720 \text{ s}$
T799 time-step (288 km)

Get u, v, w wind vector variables (3)
from 'neighbour' tasks to determine
departure and mid-point of trajectory

red: halo points actually used




Get rest of the variables (26) from the red halo area and perform interpolations

Note that volume of halo data communicated is dependent on wind speed and direction in locality of each task

wind plot

Friday 15 October 2004 12UTC ECMWF Forecast t+0 VT: Friday 15 October 2004 12UTC Model Level 1 U velocity/V velocity 25.0m/s 



Semi-Lagrangian – coarray implementation


red: only the halo points that are used are communicated



Note no more blue area (max wind halo) and associated overhead.

Also, halo coarray transfers take place in same OpenMP loop as the interpolations.

ORNL's "Titan" System




- #1 in Nov 2012 Top500 list
- CRESTA awarded access (INCITE13 programme)
- 18X peak perf. of ECMWF's P7 clusters (C2A+C2B=1.5 Petaflops)
- Upgrade of Jaguar from Cray XT5 to XK6
- Cray Linux Environment operating system
- Gemini interconnect
 - 3-D Torus
 - Globally addressable memory
- AMD Interlagos cores (16 cores per node)
- New accelerated node design using NVIDIA K20 "Kepler" multi-core accelerators
- 600 TB DDR3 mem. + 88 TB GDDR5 mem


Titan Specs	
Compute Nodes	18,688
Login & I/O Nodes	512
Memory per node	32 GB + 6 GB
# of NVIDIA K20 "Kepler" processors	14,592
Total System Memory	688 TB
Total System Peak Performance	27 Petaflops

Source (edited): *James J. Hack, Director, Oak Ridge National Laboratory*


T2047L137 IFS forecast model performance RAPS12 (CY37R3, on HECToR), RAPS13 (CY38R2, on TITAN)




IFS T3999L137 hydrostatic forecast model performance on TITAN
RAPS13 IFS (CY38R2), cce=8.1.5, NRADRES=2047, NRADFR=1



IFS T3999L137 hydrostatic forecast model efficiency on TITAN
RAPS12 IFS (CY38R2), cce=8.1.5, NRADRES=2047, NRADFR=1



Single node performance for md.F90 ** (normalised by wall clock time for 16 AMD Interlagos cores)




** md.F90 is a small (237 lines) molecular dynamics kernel






Thank you to Alistair Hart (CRAY) for helping me with the OpenACC version

Happy to share OpenMP and OpenACC code, send me an email

Radiation computations in parallel with model




DAG example: Cholesky Inversion



DAG = Directed Acyclic Graph

Can IFS use this technology?

Source: Stan Tomov, ICL, University of Tennessee, Knoxville



Schedule for future IFS optimisations in CRESTA

When	Activity
2H2013	<p>Scaling runs of T3999 model on TITAN (CRESTA INCITE award)</p> <p>Initial use of GPUs for IFS (targeting costly LTINV/LTDIR dgemm's)</p> <p>Some OpenACC experiments with IFS</p>
2014	<p>Further IFS scalability optimisations</p> <ul style="list-style-type: none"> • Radiation [wave model, surf scheme] computations in parallel with model • transpose SL data <p>Explore use of DAG parallelisation (with OMPs)</p> <ul style="list-style-type: none"> • With a toy code representative of IFS <p>Development & testing of alternative local data structures (minimizing communications) for IFS</p>

Summary

- Many challenges exist for IFS **applications** to run at the Exascale
- First of these is for hardware vendors to build Exascale computers that are both affordable (cost + power) and reliable
- Ease of programming GPGPU technology will be much easier in the future when there is a single address space for GPGPU cores and conventional cores (if available)
 - Will we need OpenACC in this future?
 - The term GPGPU will disappear in the future
- Our IFS **applications** will require substantial development in the years to come

A large, orange and black aircraft, possibly a military transport or cargo plane, is shown in flight, viewed from a low angle. The aircraft is flying over a vast, snow-covered mountain range under a clear blue sky. The sun is visible in the upper right, creating a bright lens flare effect. The aircraft's landing gear is extended, and it appears to be in a steep climb or descent.

Thank you for
your attention

QUESTIONS?

How far can we go with ...

technology applied at ECMWF for the last 30 years ...

A **spectral** transform, **semi-Lagrangian**, **semi-implicit (compressible)** (non-)hydrostatic model?

- Computational efficiency on and affordability of future HPC architectures ?
- Accuracy and predictability at cloud-resolving scales ?

“The reports of my death have been greatly exaggerated”

[Mark Twain](#)

**The spectral transform
method, dead or alive ?**

IFS model coarray developments

Compile with `-DCOARRAYS`

for compilers that support Fortran2008 coarray syntax

Run with,

`&NAMPAR1`
`LCOARRAYS=true,` to use coarray optimizations

`&NAMPAR1`
`LCOARRAYS=false,` to use original MPI implementation

LTINV recoding

COMPUTE COMMUNICATION

```

!$OMP PARALLEL DO SCHEDULE(DYNAMIC,1) PRIVATE(JM,IM)
DO JM=1,D%NUMP
  IM = D%MYMS(JM)
  CALL LTINV(IM,JM,KF_OUT_LT,KF_UV,KF_SCALARS,KF_SCDERS,ILEI2,IDIM1,&
    & PSPVOR,PSPDIV,PSPSCALAR ,&
    & PSPSC3A,PSPSC3B,PSPSC2 , &
    & KFLDPTRUV,KFLDPTRSC,FSPGL_PROC)
ENDDO
!$OMP END PARALLEL DO
DO J=1,NPRTRW
  ILENS(J) = D%NLTSFTB(J)*IFIELD
  IOFFS(J) = D%NSTAGT0B(J)*IFIELD
  ILENR(J) = D%NLTSGTB(J)*IFIELD
  IOFFR(J) = D%NSTAGT0B(D%MSTABF(J))*IFIELD
ENDDO
CALL MPL_ALLTOALLV(PSENBUFF=FOUBUF_IN,KSENDCOUNTS=ILENS,&
  & PRECVBUF=FOUBUF,KRECVCOUNTS=ILENR,&
  & KSENDDISPL=IOFFS,KRECVDISPL=IOFFR,&
  & KCOMM=MPL_ALL_MS_COMM,CDSTRING='TRMTOL:')

!$OMP PARALLEL DO SCHEDULE(DYNAMIC,1) PRIVATE(JM,IM,JW,IPE,ILEN,ILENS,IOFFS,IOFFR)
DO JM=1,D%NUMP
  IM = D%MYMS(JM)
  CALL LTINV(IM,JM,KF_OUT_LT,KF_UV,KF_SCALARS,KF_SCDERS,ILEI2,IDIM1,&
    & PSPVOR,PSPDIV,PSPSCALAR ,&
    & PSPSC3A,PSPSC3B,PSPSC2 , &
    & KFLDPTRUV,KFLDPTRSC,FSPGL_PROC)
DO JW=1,NPRTRW
  CALL SET2PE(IPE,0,0,JW,MYSETV)
  ILEN = D%NLEN_M(JW,1,JM)*IFIELD
  IF(ILEN > 0)THEN
    IOFFS = (D%NSTAGT0B(JW)+D%NOFF_M(JW,1,JM))*IFIELD
    IOFFR = (D%NSTAGT0BW(JW,MYSETW)+D%NOFF_M(JW,1,JM))*IFIELD
    FOUBUF_C(IOFFR+1:IOFFR+ILEN)[IPE]=FOUBUF_IN(IOFFS+1:IOFFS+ILEN)
  ENDIF
  ILENS = D%NLEN_M(JW,2,JM)*IFIELD
  IF(ILENS > 0)THEN
    IOFFS = (D%NSTAGT0B(JW)+D%NOFF_M(JW,2,JM))*IFIELD
    IOFFR = (D%NSTAGT0BW(JW,MYSETW)+D%NOFF_M(JW,2,JM))*IFIELD
    FOUBUF_C(IOFFR+1:IOFFR+ILENS)[IPE]=FOUBUF_IN(IOFFS+1:IOFFS+ILENS)
  ENDIF
ENDDO
ENDDO
!$OMP END PARALLEL DO
SYNC IMAGES(D%NMYSETW)
FOUBUF(1:IBLEN)=FOUBUF_C(1:IBLEN)[MYPROC]

```

ORIGINAL
code

NEW
code

Butterfly algorithm: apply

$$f = S\alpha$$

for $l = 0 \rightarrow L$ do

 for all j, k boxes do

 if $l = 0$ then

 store $\beta_{0,k} = A_{0,k}\alpha_k$

 else

 store $\beta_{l,j,k}$

$= A_{l,j,k} \times \text{comb_l_and_r_neighb}(\beta, l - 1)$

 end if


 if $l = L$ then

 store $f_{L,j} = C_{L,j}\beta_{L,j}$


 end if

end for

end for




% (of total execution time) cost of spectral part of the model on IBM Power7 (all L91, all NH for comparison); Total includes communications



We expect significant reductions in future cores -> vector instr. / GPU


All these can be run with hydrostatic code == ½ of above numbers

% cost of Spectral Transforms on IBM Power7 (all L91, all NH for comparison)



Expect significant reductions in future cores -> vector instr. / GPU

Average wall-clock time compute cost [milli-seconds] per spectral transform



IFS PGAS Optimisations for Exascale


- IFS PGAS optimisations in the CRESTA project
 - Involve use of Fortran2008 coarrays (CAF)
 - Used within context of OpenMP parallel regions
- Overlap Legendre transforms with associated transpositions
- Overlap Fourier transforms with associated transpositions
- Rework semi-Lagrangian communications
 - To substantially reduce communicated halo data
 - To overlap halo communications with SL interpolations
- Explore GPU and Vector technology for further computational speed-ups of matrix-matrix multiplies

Numerical solution

- Two-time-level, semi-implicit, semi-Lagrangian.
- Semi-implicit procedure with two reference states, with respect to gravity and acoustic waves, respectively.
- The resulting **Helmholtz equation** can be solved (subject to some constraints on the vertical discretization) with a **direct spectral method**, *that is, a mathematical separation of the horizontal and vertical part of the linear problem in spectral space, with the remainder representing at most a pentadiagonal problem of dimension $NLEV^2$. Non-linear residuals are treated explicitly (or iteratively implicitly)!*

(Robert, 1972; Bénard et al 2004,2005,2010)


NH IFS T_L3999 L91 (5 km) on IBM Power7 with FLT




TSTEP=180s, 3.1s/iteration
Using 1024 tasks x16 OpenMP threads
10 day forecast ~ 4 hours for this config

SP_DYN was 23 percent for this model configuration, and is now 7 percent. Improvement due to exposing 'greater OpenMP parallelism' from 4K threads to a maximum of 4K * 91 threads ; in this case 16K threads.

T3999 6h forecast - inverse transforms: CPU time vs. wave



T3999 6h forecast - inverse transforms: Floating point operations vs. wave number



Exascale problem projections

- To run a T7999 L137 forecast (~2.5km) may require approximately 1-4 million processors (of current technology) to run in one hour
- At the same time 1-4 Million processors could run a 50 member ensemble of T3999 L137 in the same hour
- But first we have to be able to run a T3999 L137 forecast efficiently in one hour!